



Installation Certilam-Certilux on cladding facade


Elevation



Frame A




Section A-A




HOW TO CALCUL THE THROAT HEIGHT OF A VENT		Nb of blades
CERTILAM standard blades (not insulated)	(number of blades x 125) + 46	6 to 24
CERTILAM insulated blades only (not frame)	(number of blades x 125) + 54	6 to 24
CERTILAM insulated blades and frame	(number of blades x 125) + 31	6 to 24
CERTILUX 6 mm PC or glass blade	(number of blades x 160) + 46	6 to 19
CERTILUX 10 mm PC or glass blade	(number of blades x 165) + 48	6 to 19

Section B-B




Installation Certilam-Certilux on curtain wall


Elevation



Frame G




Section A-A




HOW TO CALCUL THE THROAT HEIGHT OF A VENT		Nb of blades
CERTILAM standard blades (not insulated)	(number of blades x 125) + 46	6 to 24
CERTILAM insulated blades only (not frame)	(number of blades x 125) + 54	6 to 24
CERTILAM insulated blades and frame	(number of blades x 125) + 31	6 to 24
CERTILUX 6 mm PC or glass blade	(number of blades x 160) + 46	6 to 19
CERTILUX 10 mm PC or glass blade	(number of blades x 165) + 48	6 to 19
LAMLIGHT non insulated	(number of blades x 200) + 20	5 to 15

Section B-B




Installation Certilam-Certilux on curtain wall


Elevation



Frame F




Section A-A




HOW TO CALCUL THE THROAT HEIGHT OF A VENT		Nb of blades
CERTILAM standard blades (not insulated)	(number of blades x 125) + 46	6 to 24
CERTILAM insulated blades only (not frame)	(number of blades x 125) + 54	6 to 24
CERTILAM insulated blades and frame	(number of blades x 125) + 31	6 to 24
CERTILUX 6 mm PC or glass blade	(number of blades x 160) + 46	6 to 19
CERTILUX 10 mm PC or glass blade	(number of blades x 165) + 48	6 to 19

Section B-B




Installation Certilam-Certilux on concrete wall


Elevation



Frame D



Section A-A



HOW TO CALCUL THE THROAT HEIGHT OF A VENT		Nb of blades
CERTILAM standard blades (not insulated)	(number of blades x 125) + 23	6 to 24
CERTILAM insulated blades only (not frame)	(number of blades x 125) + 31	6 to 24
CERTILUX 6 mm PC or glass blade	(number of blades x 160) + 23	6 to 19
CERTILUX 10 mm PC or glass blade	(number of blades x 165) + 25	6 to 19

Section B-B

